Hydrology Standards

VOLUME 2 of the Sacramento City/County Drainage Manual

December 1996

The Sacramento City/County Drainage Manual was developed jointly by the Sacramento County Water Resources Division and the City of Sacramento Department of Utilities Division of Engineering Services. It consists of the following five volumes:

Volume 1: Goals and Policies Volume 2: Hydrology Standards

Volume 3: Hydraulic Structures Design Standards

Volume 4: Design of Joint-Use Stormwater Detention Standards Volume 5: New Development Stormwater Quality Standards

UPDATE October 2006

Volumes 1 and 4 are no longer in use.

Volume 2 is still current and required. The original computer program SACPRE was replaced by SACCALC.

Volume 3 was never completed.

Volume 5 was replaced by the "Guidance Manual for On-Site Stormwater Quality Control Measures" and is available on-line at www.stormwater.org under Documents. It is currently being revised.

Acknowledgements

Active Participants

The following individuals have actively participated in the development of these Hydrology Standards:

HDR Engineering, Inc.

George Annandale Bert Brown Judy Zavadil

HYDMET, Inc.

Norm Braithwaite John Humphrey

Sacramento County Water Resources Division

Craig Crouch Pete Hall Terri Wegener

Review Participants

The following individuals, agencies and consulting firms have participated in the development, testing and review of various aspects of these Hydrology Standards:

American Society of Civil Engineers, Sacramento Section

Borcalli and Associates, Inc. (Lee Frederickson)

City of Sacramento (Wade Coleman, Martin Farber, Marvin Reid)

Consulting Engineers and Land Surveyors of California (CELSOC), Sierra Chapter

Joe DeVries, Consulting Engineer

Ensign and Buckley Consulting Engineers (Jack Buckley, Rod Lutz)

David Ford, Consulting Engineer

Bill Gill, Gill Water Resources Engineering

Hydrologic Engineering Center, U.S. Army Corps of Engineers (Troy Nicolini,

Arlen Feldman)

MacKay and Somps Engineers (Les Clark, Glen Uyeda)

Spink Corporation (Pal Hegedus)

Sacramento County Water Resources Division Staff

City of Sacramento Department of Utilities Staff

System of Units

Introduction

This volume was written to accommodate both the English System and the International System (SI) of units. Values given in the text, tables and equations of this volume are given in the English system of units with the International System units provided in parentheses. Some tables and figures in this volume are given entirely in the English System with an identical table or figure provided in the International System. The International System tables and figures are indicated with the letters SI, following the table or figure number. The SI figures are located at the end of Chapter 2 and the SI tables are on the disk accompanying this volume.

The International System of Units

The International System of Units, SI, was established in 1960 by the General Conference of Weights and Measures, an international treaty organization. The SI system is derived from earlier metric systems, but it is intended to supersede them all.

The SI system has the following features:

- There is only one recognized unit for each variable
- The system is fully consistent
- Scaling of units is done in multiples of 1000
- Prefixes, abbreviations, and symbol-syntax are defined rigidly.

The SI units used in this volume are given below.

Quantity	Name	Symbol
Length	Meter	m
Area	Square meter	m ²
Area (acceptable non-SI)	Hectare	ha (1 ha = $10,000 \text{ m}^2$)
Volume	Cubic meter	m^3
Time	Second	S
Time (acceptable non-SI)	minute hour	min h

SACRAMENTO CITY/COUNTY DRAINAGE MANUAL VOLUME 2: HYDROLOGY STANDARDS

Table of Contents

Acknowledgements	
System of Units	iv
Table of Contents	v
List of Tables	
List of Figures	
Bibliography	
PART 1: Methods and Design Charts	
Chapter 1	
Overview	
Introduction	1-1
Design Methods	1-3
Design Aids	1-6
Clarate 2	
Chapter 2	
Design Charts	2.2
Introduction	
Nolte Charts	
Sacramento Charts	
Sato Chart	2-11
DADT 2. The Comments Mathed	
PART 2: The Sacramento Method	
Chapter 3	
Introduction to the Sacramento Method	
	2 1
Introduction	
Use of the Sacramento Method	3-2

Chapter 4	
Precipitation	
Introduction	4-1
Design Storms	
Sacramento Method Design Storms	
Depth-Duration-Frequency Relationships	
Precipitation Depth Adjustments	
Temporal Distribution of Design Storms	
Areal Distribution of Design Storms	
Constructing Design Storms	
Chapter 5	
Precipitation Losses	
Introduction	5-1
Infiltration	
Impervious Area	
Chapter 6	
Runoff Hydrographs	
Introduction	6-1
Calculating Runoff Hydrographs	
Base Flow	
Chapter 7	
Basin Lag	
Introduction	7-1
Basin "n" Method	
Travel Time Component Method: Overview	7-4
Travel Time Component Method: Determining To	7-5
Travel Time Component Method: Determining T _g	7-6
Travel Time Component Method: Determining T _p	7-7
Travel Time Component Method: Determining T _c	
Lag Frequency Factors	7-11
Chapter 8	
Hydrograph Routing	
Introduction	8-1
Off-Channel Detention Routing	8-3
On-Channel Detention Routing	8-4

Chapter 9	
HEC-1 Model Development	
Introduction 9-	-1
Basin Parameters 9-	-2
Future and Ultimate Development9-	
Design Storm Selection 9-	
Computation Time Interval 9-	
Chapter 10	
Sacramento Method Examples	
Introduction 10-	-1
Example 1 - Multi-Basin Planning Study: Input Data10-	-2
Example 1 - Multi-Basin Planning Study: SACPRE Intermediate File 10-	-8
Example 1 - Multi-Basin Planning Study: SACPRE Summary File 10-1	0
Example 1 - Multi-Basin Planning Study: HEC-1 Input File	.3
Example 1 - Multi-Basin Planning Study: HEC-1 Output File10-1	
Example 2 - Single Basin Analysis of Subdivision: Input Data 10-1	
Example 2 - Single Basin Analysis of Subdivision: SACPRE Intermediate	
File10-2	21
Example 2 - Single Basin Analysis of Subdivision: SACPRE Summary File10-2	22
Example 2 - Single Basin Analysis of Subdivision: HEC-1 Input File 10-2	
Example 2 - Single Basin Analysis of Subdivision: HEC-1 Output File 10-2	24
PART 3: Using SACPRE HEC-1 Preprocessor	
Chapter 11	
SACPRE Main Menu	
Introduction to SACPRE HEC-1 Preprocessor 11-	
Overview of the Main Menu 11-	
Option 1: Create Intermediate File 11-	
Option 2: Process Intermediate File 11-	-8
Option 3: Compute Lag, % Impervious, and Infiltration11-1	.0
Chapter 12	
Hydrograph Options	
Overview 12-	
Generate Hydrograph 12-	
Route Hydrograph 12-	
Combine Hydrographs 12-1	. 1

Chapter 13 Editing Intermediate Files	
Overview	13-1
*G Record	
*BA Record	
*S Record	
*LC Record	
*LN Record	
*I Record	
*RS Record	
Chapter 14 Installation and Batch Operation of SACPRE Installation of SACPRE Batch Operation of SACPRE	
Maps	
Diskette Assumptions	

SACPRE

Tables

SDP (Storm Centering Program)

Appendix*

- Report 1 Additional Hydrologic Analyses Related to Volumetric Considerations, Task 2 Base Flow and Infiltration Analysis
- Report 2 Additional Hydrologic Analysis Related to Volumetric Considerations, Task 3, Precipitation Analysis
- Report 3 Staff Report, Revisions to Hydrologic Procedures
- Report 4 Staff Report, Hydrology for Design of Drainage Pipe Systems
- Report 5 Staff Report, Verification of Parameters and Procedures for Computing Lag Time used in City/County Drainage Manual Volume 2: Hydrology Standards
- Report 6 Stream Flow Measurement in Small, Piped Watersheds in Support of the Calibration of Hydrologic Computer Models used in City/County Drainage Manual Volume 2: Hydrology Standards
- Report 7 Optimization of Stormwater Quality Enhancement by Detention Basin for the Sacramento Metropolitan Area
- * The appendix is available upon request from Sacramento County Water Resources Division.

List of Tables

Tab	le N	o. Title	Page No.
2-1		Summary of Design Charts and Applications	2-3
4-1		Depth-Duration-Frequency Relationships (inches)	4-7, disk
4-1	SI	1 7 7	
4-2		Intensity-Duration-Frequency Relationships (inches/hour)	
4-2	SI	Intensity-Duration-Frequency Relationships (millimeters/hour)	
4-3		Elevation Adjustment Factors	
4-4		Area Multipliers for Durations Less Than 1 Hour	
4-4	SI	1	
4-5	~-	Area Multipliers for Durations Greater Than 1 Hour	
4-5	SI	Area Multipliers for Precipitation Durations Greater than 1 hour	disk
4-6		36-Hour Long-Duration Storm Precipitation as a Percent of Total	11. 1
4 7		Storm Depth	d1sk
4-7		5-Day Long-Duration Storm Precipitation as a Percent of Total	1' 1
4.0		Storm Depth	aisk
4-8		10-Day Long-Duration Storm Precipitation as a Percent of Total	الماء
		Storm Depth	disk
5-1		Initial Losses Infiltration Potes by Hydrologic Soil Cover Groups (inches/hour)	5-3
5-2		Infiltration Rates by Hydrologic Soil-Cover Groups (inches/hour)	5-5
5-2	SI		
5-3		Land Use versus Effective Percent Impervious	
6-1		Dimensionless Unit Hydrograph Date for Urban Paging	dielz
6-2		Dimensionless Unit Hydrograph Data for Urban Basins Base Flow Parameters	
0-2		Dase Flow Landineters	uisk
7-1		Basin "n" for Unit Hydrograph Lag Equation	7-3
7-2		Parameters for Overland Flow with Flow Depths Less Than 2	•••••
		Inches (51 mm)	disk
7-3		Overland Flow Precipitation Intensity	
7-4		Standard Overland Flow Parameters	
7-5		Manning's "n" for Channel Flow	
7-6		Lag Multiplication Factors for Overland Release	7-11
8-1		Hydrograph Routing Options	8-2
9-1		HEC-1 Computation Time Interval	9-8

List of Figures

Figur	re No. Title	Page No.
2-1	County of Sacramento Design Runoff Criteria, All Development	2-13
2-2	City of Sacramento Design Runoff Criteria, Infill Development	
2-3	City of Sacramento Design Runoff Criteria, New Development	
2-4	Sacramento City and County Hydrologic Zones, Nolte Method	
2-5	Design Runoff, Nolte Method, Drainage Areas <50 Acres	
2-6	Design Runoff, Nolte Method, Residential Areas, 50-160 Acres	2-18
2-7	Design Runoff, Nolte Method, Commercial Areas, 50-160 Acres	
2-8	Design Runoff, Nolte Method, Hydrologic Zone 1, 160-640 Acres	
2-9	Design Runoff, Nolte Method, Hydrologic Zone 2, 160-640 Acres	2-21
2-10	Design Runoff, Nolte Method, Hydrologic Zone 3, 160-640 Acres	2-22
2-11	Sacramento City and County Rainfall Zones, Sacramento Method	
2-12	10-Year Peak Flow, Sacramento Method, Rainfall Zone 1, <80 Acres	2-24
2-13	10-Year Peak Flow, Sacramento Method, Rainfall Zone 1, 80-640 Acres	2-25
2-14	10-Year Peak Flow, Sacramento Method, Rainfall Zone 2, <80 Acres	2-26
2-15	10-Year Peak Flow, Sacramento Method, Rainfall Zone 2, 80-640 Acres	2-27
2-16	10-Year Peak Flow, Sacramento Method, Rainfall Zone 3, <80 Acres	2-28
2-17	10-Year Peak Flow, Sacramento Method, Rainfall Zone 3, 80-640 Acres	2-29
2-18	100-Year Peak Flow, Sacramento Method, Rainfall Zone 1, <80 Acres	2-30
2-19	100-Year Peak Flow, Sacramento Method, Rainfall Zone 1, 80-640 Acres	2-31
2-20	100-Year Peak Flow, Sacramento Method, Rainfall Zone 2, <80 Acres	2-32
2-21	100-Year Peak Flow, Sacramento Method, Rainfall Zone 2, 80-640 Acres	2-33
2-22	100-Year Peak Flow, Sacramento Method, Rainfall Zone 3, <80 Acres	2-34
2-23	100-Year Peak Flow, Sacramento Method, Rainfall Zone 3, 80-640 Acres	2-35
2-24	Peak Runoff Based on Lag Time, Sacramento Method, 0-640 Acres	2-36
2-25	Sato Design Curve for Sizing of Water Quality Dry-Extended	
	Detention Basins	2-37

Continued on next page...

List of Figures (continued)

Figure No.

2-5	SI	Design Runoff, Nolte Method, Drainage Areas <20 Hectares	2-38
2-6		Design Runoff, Nolte Method, Residential Areas, 20-65 Hectares	
2-7		Design Runoff, Nolte Method, Commercial Areas, 20-65 Hectares	
2-8		Design Runoff, Nolte Method, Hydrologic Zone 1, 65-260 Hectares	
2-9		Design Runoff, Nolte Method, Hydrologic Zone 2, 65-260 Hectares	
2-10	SI	Design Runoff, Nolte Method, Hydrologic Zone 3, 65-260 Hectares	2-43
2-12	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 1, <30 Hectares	2-44
2-13	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 1, 30-260 Hectares	2-45
2-14	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 2, <30 Hectares	2-46
2-15	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 2, 30-260 Hectares	2-47
2-16	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 3, <30 Hectares	2-48
2-17	SI	10-Year Peak Flow, Sacramento Method, Rainfall Zone 3, 30-260 Hectares	2-49
2-18	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 1, <30 Hectares	2-50
2-19	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 1, 30-260 Hectares	2-51
2-20	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 2, <30 Hectares	2-52
2-21	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 2, 30-260 Hectares	2-53
2-22	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 3, <30 Hectares	2-54
2-23	SI	100-Year Peak Flow, Sacramento Method, Rainfall Zone 3, 30-260 Hectares	2-55
2-24	SI	Peak Runoff Based on Lag Time, Sacramento Method, 0-160 Hectares	2-56
2-25	SI	Sato Design Curve for Sizing of Water Quality Dry-Extended	
		Detention Basins	2-57
4-1		Sacramento City and County Rainfall Zones and Multipliers/Average Annual Prec	cipitation
		Map	-
10-1		Upper Arcade Creek Drainage Area	10-3
10-2		Upper Arcade Creek Drainage Schematic	
10-3		Park Place Subdivision, Single Basin Analysis of a Subdivision	

Bibliography

- 1. California Department of Water Resources, *Rainfall Depth-Duration-Frequency for California*, August 1986, Sacramento, CA.
- 2. Chow, Ven Te, Open-Channel Hydraulics, 1959, McGraw-Hill, New York, NY.
- 3. County of Sacramento Water Resources Division, *Staff Report, Revisions to Hydrologic Procedures*, January, 1993.
- 4. George S. Nolte Consulting Civil Engineers, Inc., *Master Drainage Plan County of Sacramento, California, Part I County-Wide Hydrology*, October 1961.
- 5. Goodridge, James D., Rainfall Depth Duration Frequency for Sacramento, DWR #A00763300, May 1995.
- 6. HDR Engineering and HYDMET, Additional Hydrologic Analysis Related to Volumetric Considerations, Task 3, Precipitation Analysis, September 22, 1993.
- 7. HDR Engineering and HYDMET, Additional Hydrologic Analyses Related to Volumetric Considerations, Task 1 (Base Flow) and Task 2 (Infiltration), August 13, 1993.
- 8. Miller, J.F., R.H. Frederick, and R.J. Tracey, "Precipitation-Frequency Atlas of the Western United States, Vol. XI: California," *NOAA Atlas 2*, National Weather Service, 1973.
- 9. Osborne, H.B. and E.M. Laursen, "Thunderstorm Runoff in Southeastern Arizona", *Journal of the Hydraulics Division*, ASCE, Vol.99, No. HY7, July 1973, pp. 1129-1145.
- 10. Papadakis, Constantine N. and M. Nizar Kazan, "Time of Concentration in Small Rural Watersheds", *Engineering Hydrology*, Proceedings of the August 3-7 Symposium, Williamsburg, Virginia, ASCE, New York, NY, p.633-638.
- 11. Placer County Flood Control and Water Conservation District, *Stormwater Management Manual*, September 1, 1990, Auburn, CA. California.
- 12. Snyder, F.F., *Synthetic Unit Hydrographs* Transactions of the American Geophysics Union, Vol 19, Par 1, pp 447-454, 1938.
- 13. Softway, Inc., Hi-Screen XL Professional Series, 1990, San Francisco, CA.

- 14. Stephenson, David and Michael E. Meadows, *Kinematic Hydrology and Modelling*, 1986, Elsevier, New York, NY, p.32.
- 15. Taur, C.K. and George E. Oswald, "Application of the New SCS Time of Concentration Method", *Engineering Hydrology*, Proceedings of the August 3-7 Symposium, Williamsburg, Virginia, ASCE, New York, NY, p.639-644.
- 16. U.S. Army Corps of Engineers, *HEC-1 Flood Hydrograph Package User's Manual*, September 1990, Hydrologic Engineering Center, Davis, CA.
- 17. U.S. Army Corps of Engineers, "Sierra Madre Storm", *Prado Dam Design Hydrology*, 1948, Los Angeles, CA.
- 18. U.S. Bureau of Reclamation, *Flood Hydrology Manual*, 1989, Denver, CO.
- 19. U.S. Department of Agriculture, Agricultural Research Service, *Precipitation Characteristics Affecting Hydrologic Response of Southwestern Rangelands*, ARM-W-34, January 1983, Tucson, AZ.
- 20. U.S. Geological Survey, *Guide for Selecting Manning's Roughness Coefficients for Natural Channels and Flood Plains*, NTIS PB84242585, April 1984, McLean, VI.
- 21. U.S. Department of Transportation, Federal Highway Administration, *Drainage of Highway Pavement*, HEC-12, March 1984.
- 22. U.S. Department of Agriculture, Soil Conservation Service, *Hydrology, Section 4, SCS National Engineering Handbook*, 1972.
- 23. U.S. Department of Commerce, NOAA, *Precipitation Frequency Atlas of the Western United States, Volume XI- California*, 1973.
- 24. U.S. Department of Commerce, Weather Bureau, *Rainfall Frequency Atlas of the United States, for Durations from 30 Minutes to 24 Hours and Return Periods from 1 to 100 Years.*, Technical Paper 40.
- 25. Viessman, Warren Jr., Knapp, John W., Lewis, Gary L., Harbaugh, Terrence E., *Introduction to Hydrology*, 1977, Harper and Row, New York, NY.